

1. Document ID: US 6621433 B1 Relevance Rank: 71

Using default format because multiple data bases are involved.

L9: Entry 1 of 1

File: USPT

Sep 16, 2003

US-PAT-NO: 6621433

DOCUMENT-IDENTIFIER: US 6621433 B1

TITLE: Adaptive dynamic range receiver for MRI

DATE-ISSUED: September 16, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Hertz; David

Dix Hills

NY

US-CL-CURRENT: 341/139; 324/309, 341/155

Full	itie Citation Front Review Classification Date Reference	Claims Ki	MC Draw De
	`		
Clear	Generate Collection   Print   Fwd Refs   Bkwd Refs	Generate	OACS
	Term	Documents	
	MAGNETIC .	1440851	
	MAGNETICS	12495	
	RESONANCE	283239	
	RESONANCES	16461	
	(8 AND (MAGNETIC ADJ RESONANCE)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1	
	(L8 AND (MAGNETIC ADJ RESONANCE) ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1	

Display Format: - Change Format

Previous Page Next Page Go to Doc#

# **Refine Search**

### Search Results -

Term	Documents
MAGNETIC	1440851
MAGNETICS	12495
RESONANCE	283239
RESONANCES	16461
(8 AND (MAGNETIC ADJ RESONANCE)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	. 1
(L8 AND (MAGNETIC ADJ RESONANCE) ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database

Database:

Search:

EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

3.....

כם	•			

Refine Search

Recall Text 👄

Clear

Interrupt

### Search History

DATE: Tuesday, November 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,	USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=	YES; OP=ADJ	
<u>L9</u>	L8 and (magnetic adj resonance)	1	<u>L9</u> .
<u>L8</u>	L7 and matrix	126	<u>L8</u>
<u>L7</u>	L6 and ((outout or input) adj signal)	494	<u>L7</u>
<u>L6</u>	L5 and L4	876	<u>L6</u>
<u>L5</u>	L1 and (receiv\$4 adj (antenna or coil))	5481	<u>L5</u>
<u>L4</u>	L3 and ADC	876	<u>L4</u>
<u>L.3</u>	L1 and (receiv\$4 adj (antenna or coil))	5481	<u>L3</u>

<u>L2</u>	L1 and antenna	14009	<u>L2</u>
<u>L1</u>	(digital adj signal adj process\$4)	81444	<u>L1</u>

## END OF SEARCH HISTORY

WEST Refine Search Page 1 of 2

# **Refine Search**

### Search Results -

Term	Documents
ADC	30663
ADCS	3773
(15 AND ADC).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	13
(L15 AND ADC ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	13

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

Database:

  L16	<u> </u>	Refine Search
Recall Text 🗢	Clear	Interrupt

### Search History

DATE: Tuesday, November 02, 2004 Printable Copy Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YB	ES; OP=ADJ	
<u>L16</u>	L15 and ADC	13	<u>L16</u>
<u>L15</u>	L14 and switch	131	<u>L15</u>
<u>L14</u>	L11 and (digital adj signal adj processing)	303	<u>L14</u>
<u>L13</u>	L12 and ADC	2.1	<u>L13</u>
<u>L12</u>	L11 and Matrix	253	<u>L12</u>
<u>L11</u>	L1 and (magnetic adj resonance)	625	<u>L11</u>
<u>L10</u>	L4 and (magnetic adj resonance)	3	<u>L10</u>
<u>L9</u>	L8 and (magnetic adj resonance)	1	<u>L9</u>
<u>L8</u>	L7 and matrix	126	<u>L8</u>
<u>L7</u>	L6 and ((outout or input) adj signal)	494	<u>L7</u>
<u>L6</u>	L5 and L4	876	<u>L6</u>

<u>L5</u>	L1 and (receiv\$4 adj (antenna or coil))	5481	<u>L5</u>
<u>L4</u>	L3 and ADC	876	<u>L4</u>
<u>L3</u>	L1 and (receiv\$4 adj (antenna or coil))	5481	<u>L3</u>
<u>L2</u>	L1 and antenna	14009	<u>L2</u>
<u>L1</u>	(digital adj signal adj process\$4)	81444	<u>L1</u>

### END OF SEARCH HISTORY